The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton Waterway: New York Slough Mile: PWD: 002 Name: Diablo Service Corp., Pittsburg Wharf. □ South side, New York Slough, between foot of East and Harbor Streets extended, Location: Datum: MLLW Pittsburg. Operator: Diablo Service Corp. Owner: Tosco Corp.□ Address: 595 East Third Street. Phone: 510-432-3588 State: CA Town: Pittsburg County: Contra Costa Railway Connection: One surface track serving open storage area in rear and connecting with Atchison, Topeka and Santa Fe Railway was not in use at time of survey. Purpose: Shipment of petroleum coke by vessel; receipt of caustic soda by barge. Latitude (decimal): Depth Alongside (feet): 35 38.034444 Total Berthing Space (feet): 1,154 | Longitude (decimal): -121.8764 Remarks: Open storage area located in rear is served by 2 fixed stackers and 5 diesel crawler bulldozers and has a total capacity of 75,000 tons of bulk material. One 8-inch, stainless steel pipeline extends from wharf t 1,000,000-gallon, glass-lined, steel, caustic soda storage tank at terminal in rear. Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81401 Dock Code: 062 Sacramento District Port: Sacramento, Stockton PWD: 005 Waterway: New York Slough Mile: Name: Dow Chemical Co., Pittsburg Plant Wharf. Location: South side, New York Slough, approximately 1 mile below junction with San Joaquin Datum: MLLW River, Pittsburg. Dow Chemical Co. Operator: Owner: Dow Chemical Co. Address: Loveridge Road. Phone: 510-432-5557 State: CA Town: Pittsburg County: Contra Costa Railway Connection: Plant trackage in rear connects with Atchison, Topeka and Santa Fe Railway. Purpose: Receipt and shipment of caustic soda. Depth Alongside (feet): 40 Latitude (decimal): 38.028611 Total Berthing Space (feet): 672 Longitude (decimal): -121.8478 Remarks: One 10-inch caustic soda pipeline extends from wharf to 5 steel storage tanks located in rear, total capacity 3,420,500 gallons. One 2-inch steam line also serves wharf. Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81401 Dock Code: 132 Sacramento District

Port: Sacramento, Stockton Waterway: New York Slough Mile: PWD: 004 Name: **USS-Posco Industries, Pittsburg Dock.** South side, New York Slough, approximately 1,000 feet below foot of Loveridge Location: Datum: MLLW Road extended, Pittsburg. Operator: Not operated. □ Owner: USS-Posco Industries. Address: 900 Loveridge Road. Phone: 510-439-6410/60 Town: Pittsburg State: CA County: Contra Costa Railway Connection: Plant trackage in rear connects with Atchison, Topeka and Santa Fe Railway and Sacramento Northern Railway. Purpose: Not used. Latitude (decimal): Depth Alongside (feet): 25 38.030278 ı Total Berthing Space (feet): 400 Longitude (decimal): -121.8592 Τ Remarks: Tugboats occasionally moor at dock awaiting vessels using wharf. \Box Sacramento District Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81401 Dock Code: 092 Port: Sacramento, Stockton Waterway: New York Slough PWD: 003 Mile: Name: **USS-Posco Industries, Pittsburg Wharf.** Location: South side, New York Slough, approximately 2,400 feet below foot of Loveridge Datum: MLLW Road extended, Pittsburg. USS-Posco Industries. Operator: Owner: USS-Posco Industries. Address: 900 Loveridge Road. Phone: 510-439-6410/60 State: CA Town: Pittsburg County: Contra Costa Railway Connection: Two connecting surface tracks along full length of wharf join via curved rail trestles at each end, connecting with Atchison, Topeka and Santa Fe Railway and Sacramento Northern Railway. Purpose: Receipt of semifinished steel by vessel and barge. Depth Alongside (feet): 33 Latitude (decimal): 38.030833 Total Berthing Space (feet): 891 Longitude (decimal): -121.8606 Remarks: Steel finishing mill is located in rear. Corps of Engnrs Waterway Code: 81401 Dock Code: 092 Year of Last Survey: 1996 Sacramento District

Port: Sacramento, Stockton

Waterway: Sacramento River Mile: 57.8 PWD: 036

Name: Ramos Oil Co., West Sacramento Wharf.

Location: Right bank, Sacramento River, mile 57.8, approximately 2,000 feet above entrance Datum: MLLW

to Barge Canal and lock

Operator: Not operated.
Owner: Ramos Oil Co.

Address: 1515 South River Road. Phone: 916-371-2570x2

Town: West Sacramento State: CA County: Yolo

Railway Connection: None.

Purpose: Not used. □

Depth Alongside (feet): 10 | | Latitude (decimal): 38.567222

Total Berthing Space (feet): 100 | Longitude (decimal): -121.5203

Remarks: Pipelines extending from wharf to storage tanks located at rear were not in use at time of survey. □

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81160 Dock Code: 750 Sacramento District

Port: Sacramento, Stockton

Waterway: Sacramento River Mile: 57.9 PWD: 037

Name: Ramos Oil Co., West Sacramento Pier.

Location: Right bank, Sacramento River, mile 57.9, approximately 0.3 mile below Interstate Datum: MLLW

Highway 80 Bridge, West

Operator: Ramos Oil Co.
Owner: Ramos Oil Co.

Address: 1515 South River Road. Phone: 916-371-2570x2

Town: West Sacramento State: CA County: Yolo

Railway Connection: None. Purpose: Mooring small vessels.

Depth Alongside (feet): 7 | Latitude (decimal): 38.568889

Total Berthing Space (feet): 650 | Longitude (decimal): -121.5189

Remarks: A 4-foot wide steel catwalk extends down levee bank at lower side of pier for access to moored vessels

at low water.□

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81160 Dock Code: 750 Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton

Waterway: Sacramento River Mile: 58.1 PWD: 038

Name: RMC Lonestar, West Sacramento Terminal Wharf.

Location: Right bank, Sacramento River, mile 58.1, approximately 400 feet below Interstate Datum: MLLW

Highway 80 Bridge, West

Operator: RMC Lonestar.
Owner: RMC Lonestar.

Address: 1501 South River Road. Phone: 916-372-8338

Town: West Sacramento State: CA County: Yolo

Railway Connection: Three surface tracks serve plant in rear; connect with Sacramento Northern Railway.

Purpose: Mooring vessels.

Depth Alongside (feet): 15 | Latitude (decimal): 38.57

Total Berthing Space (feet): 153 | Longitude (decimal): -121.5178

Remarks: One 12- and one 10-inch pipelines extending from tower on wharf to 6 storage silos at plant in rear,

total storage capacity 26,300 tons, were not in use at time of survey.

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81160 Dock Code: 742 Sacramento District

Port: Sacramento, Stockton

Waterway: Sacramento River Mile: 58.4 PWD: 039

Name: McCuen Properties, West Sacramento Pier.

Location: Right bank, Sacramento River, mile 58.4, approximately 600 above below Interstate Datum: MLLW

Highway 80 Bridge, Wes

Operator: Not operated.

Owner: McCuen Properties.

Address: 901 South River Road Phone: 916-481-6300

Town: West Sacramento State: CA County: Yolo

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 10 | Latitude (decimal): 38.573333

Total Berthing Space (feet): 100 | Longitude (decimal): -121.5139

Remarks: Wharf was formerly used for shipment of sacked milled and bulk milled rice. Rice elevator at rear

consisting of 8 concrete silos, 5 interstices, and 6 bulk paddy rice warehouses and having total capacity form 17 not in use at time of survey. Plans call for the demolition of the elevator.

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81160 Dock Code: 730 Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton

Waterway: Sacramento River Mile: 59.2 PWD: 040

Name: City of Sacramento, L Street Landing.

Location: Left bank, Sacramento River, mile 59.2, approximately 300 feet above Tower Bridge, Datum: MLLW

foot of L Street exte

Operator: City of Sacramento and Channel Star Excursions, Inc.

Owner: City of Sacramento.

Address: 110 L Street. Phone: 916-552-2933
Town: Sacramento State: CA County: Sacramento

Railway Connection: None.

Purpose: Mooring excursion vessels 'Spirit of Sacramento' and 'Matthew McKinley'.

Depth Alongside (feet): 10 | Latitude (decimal): 38.581111

Total Berthing Space (feet): 325 | Longitude (decimal): -121.5056

Remarks: -□□

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81160 Dock Code: 719 Sacramento District

Port: Sacramento, Stockton

Waterway: Sacramento River Mile: 61.1 PWD: 041

Name: U.S. Air Force, Sacramento Wharf.

Location: Left bank, Sacramento River, mile 61.1, approximately 1 1/4 miles upstream from Datum: MLLW

mouth of American River,

Operator: U. S. Air Force.

Owner: United States Government.

Address: 1601 Garden Highway. Phone: 916-643-3839
Town: Sacramento State: CA County: Sacramento

Railway Connection: None.

Purpose: Mooring vessels.

Depth Alongside (feet): 16 | Latitude (decimal): 38.604722

Total Berthing Space (feet): 319 | Longitude (decimal): -121.5228

Remarks: Highway vehicles have access to wharf. A 106- by 52-foot, plywood and polyurethane foam float with 2

inner boat stalls covered by timber frame, metal-covered building is permanently moored along lower

portion of

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81161 Dock Code: 055 Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton

Waterway: Sacramento River Mile: 62.5 PWD: 042

Name: U. S. Army Corps of Engineers, Bryte Yard Mooring.

Location: Right bank, Sacramento River, mile 62.5, foot of Yolo Street extended, Bryte. Datum: MLLW

Operator: U. S. Army Corps of Engineers. Owner: United States Government.

Address: 1645 Riverbank Road. Phone: 916-557-7491

Town: Bryte State: CA County: Yolo

Railway Connection: None.

Purpose: Mooring government-owned, floating equipment.

Remarks: U. S. Army Corps of Engineers storage yard is located in rear.

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81163 Dock Code: 055 Sacramento District

Port: Sacramento, Stockton

Waterway: Sacramento River Ship Channel Mile: PWD: 035

Name: Sacramento-Yolo Port District, Berth No. 1 Wharf.

Location: Head of Sacramento River Deep Water Ship Channel, north side of Deep Water Datum: MLLW

Harbor at junction of Barge C

Operator: Sacramento-Yolo Port District.
Owner: Sacramento-Yolo Port District.

Address: 2101 Stone Blvd. Phone: 916-371-3100

Town: West Sacramento State: CA County: Yolo

Railway Connection: Surface tracks serve Port of Sacramento Rice Elevator and Farmers' Rice Cooperative

Elevator; connect with Union Pacific Railroad and tracks of Southern Pacific

Transportation Co.with

Purpose: Shipment of bulk milled rice.□

Depth Alongside (feet): 35 | 13 - 35 | 13 Latitude (decimal): 38.561667

Total Berthing Space (feet): 613 | 400 Longitude (decimal): -121.5419

Remarks: Port of Sacramento Rice Elevator located at rear consisting of 8 silos and 3 compartmented interstices has capacity for 21,500 tons of rice. Farmers' Rice Cooperative Elevator located on opposite side of Industr consisting of 20 concrete silos and 5 bulk storage warehouses, has capacity for 87,000 tons (rice) in bulk and 24,000 tons bagged. Bagged rice is regularly shipped from Berths Nos. 7, 6, and 2.

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81726 Dock Code: 711 Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton Waterway: Sacramento River Ship Channel Mile: PWD: 034 Name: Sacramento-Yolo Port District, Berth No. 2 Wharf. Head of Sacramento River Deep Water Ship Channel, north side of Deep Water Location: Datum: MLLW Harbor at eastern end of Turn Operator: Sacramento-Yolo Port District. Owner: Sacramento-Yolo Port District. Address: Phone: 916-371-8000 State: CA Town: West Sacramento County: Yolo Railway Connection: One surface track on wharf apron and one surface track in rear of transit shed serve open storage area; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co. Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; and shipment of bagged rice. Depth Alongside (feet): Latitude (decimal): 35 Total Berthing Space (feet): 600 Longitude (decimal): -121.5439 Remarks: Approximately 2.5 acres of asphalt-paved, open storage area are located at rear of transit shed. Trucks have access to wharf apron and to inside of transit shed. A 2-truck-capacity truck well is located at each Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81726 Dock Code: 611 Sacramento District Port: Sacramento, Stockton Waterway: Sacramento River Ship Channel Mile: PWD: 033 Name: Sacramento-Yolo Port District, Berth No. 4 Wharf. Head of Sacramento River Deep Water Ship Channel, foot of Terminal Street Location: Datum: MLLW extended, West Sacramento. Operator: Brusco Tug & Barge, Inc. Owner: Sacramento-Yolo Port District. Address: Port of Sacrament, Berth 4 Phone: 916-372-0986 State: CA West Sacramento Town: County: Yolo Railway Connection: None. Purpose: Mooring company-owned tugsboats. Depth Alongside (feet): 12 Latitude (decimal): 38.562222 Total Berthing Space (feet): 50 Longitude (decimal): -121.5456 Remarks: Tugs 'Angie Brusco', 'Rachelle Brusco', and 'Karin Salbu' berth at pier. Dispatch office is located at rear.

Year of Last Survey: 1996

Corps of Engnrs Waterway Code: 81726 Dock Code: 521

Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port:	Sacramento, Stockton			
Waterway:	Sacramento River Ship Channel	Mile:	PWD: 032	
Name:	Sacramento-Yolo Port District, Berth No. 5 Wharf.			
Location:	Northeast side of Sacramento River Deep Water Ship Channel Turnir southeast of foot of Harbor Bl	ng Basin,	Datum: MLLW	
Operator:	Cargill, Inc. and Sacramento-Yolo Port District.			
Owner:	Sacramento-Yolo Port District.			
Address:	P.O. Box 774	Phone: 916-371	-6513/40	
Town:	West Sacramento State: CA	County: Yolo		
Railway Connection: Trackage serving grain elevator joins additional trackage serving terminal; connects with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.				
Purpose: S	chipment of grain, feed pellets, and miscellaneous dry bulk materials.			
Depth Along		Latitude (decimal):	38.562778	
	ng Space (feet): 600 300 elt conveyor system extending from bulk storage warehouses describe	Longitude (decimal	•	
c c n	torage areas at rear. □Grain elevator on opposite side of Stone Boulev oncrete silos, 6 interstices, 6 steel storage tanks, and a warehouse for apacity for 1,227,000 bushels. Elevator handles wheat, barley, oats, so hilo, pellets, cotton seed pellets, and soy bean meal. Berths Nos. 5, 6, f contiguous berthing space.	bagged grain, ha safflower seed, mil	s total storage led rice, corn,	
Year of Last	Survey: 1996 Corps of Engnrs Waterway Code: 81726 Dock Co	ode: 511 Sa	cramento District	
Port:	Sacramento, Stockton			
Waterway:	Sacramento River Ship Channel	Mile:	PWD: 031	
Name:	Sacramento-Yolo Port District, Berth No. 6 Wharf.			
Location:	Iortheast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW outheast of foot of Harbor Bl			
Operator:	Sacramento-Yolo Port District.			
Owner:	Sacramento-Yolo Port District.			
Address:	P.O. Box 980070	Phone: 916-371	-8000	
Town:	West Sacramento State: CA	County: Yolo		
Railway Coi	nnection: Two surface tracks on apron extend to Berth No. 7 and 2 s of open storage area; connect with Union Pacific Railroad a Transportation Co.			
	Receipt and shipment of conventional general cargo in foreign and dom ulk materials; shipment of bagged rice and logs.	nestic trade and m	iscellaneous	
Depth Alongside (feet): 35 Latitude (decimal): 38.563889				
Total Berthing Space (feet): 600 Longitude (decimal): -121.5483				
Remarks: Approximately 3.7 acres of paved open storage area at rear and an additional 5.5 acres are located in rear of transit shed on adjacent Berth No. 7 (Ref No. 30). Trucks have access to wharf apron.				
Year of Last	Survey: 1996 Corps of Engnrs Waterway Code: 81726 Dock Co	ode: 421 Sa	cramento District	

Port:

Port: Sacramento, Stockton Waterway: Sacramento River Ship Channel Mile: PWD: 030 Name: Sacramento-Yolo Port District, Berth No. 7 Wharf. Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW Location: southeast of foot of Harbor BI Operator: Sacramento-Yolo Port District. Owner: Sacramento-Yolo Port District. Phone: 916-371-8000 Address: P.O. Box 980070 State: CA Town: West Sacramento County: Yolo Railway Connection: Two surface tracks on apron extending from Berth No. 6 and surface tracks in rear of transit shed; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co. Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of newsprint, fertilizer materials, and miscellaneous bulk commodities; and shipment of bagged rice.

Depth Alongside (feet): 35 | | Latitude (decimal): 38.564722

Total Berthing Space (feet): 840 | Longitude (decimal): -121.5494

Remarks: Wharf is in line and contiguous with Ref Nos. 29 and 31. Trucks have access to wharf apron and to interior of transit shed. A 2-truck-capacity truck well is located at each side of transit shed.

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81726 Dock Code: 411 Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton Waterway: Sacramento River Ship Channel Mile: PWD: 029 Name: Sacramento-Yolo Port District, Berth No. 8 Wharf. Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Location: Datum: MLLW southeast of foot of Harbor BI Sacramento-Yolo Port District. Operator: Owner: Sacramento-Yolo Port District. Address: P.O. Box 980070 Phone: 916-371-8000 State: CA Town: West Sacramento County: Yolo Railway Connection: Surface tracks serve a rotary car dumper and an undertrack pit, each serving a bulk storage warehouse in rear; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co. Purpose: Shipment of wood chips and miscellaneous dry bulk commodities. Depth Alongside (feet): 35 Latitude (decimal): Longitude (decimal): -121.5511 Total Berthing Space (feet): 840 Remarks: Berthing space includes Berth No. 7 (Ref. No. 30) which is contiguous, in line, and must at least be partially used by vessels due to location of shiploader. One 38,000-, one 68,000-, one 109,000, one 73,000-, an bulk storage warehouses, total capacity 227,000 tons, and 4, asphalt-paved, open storage areas for wood chips, total area 27.3 acres, are connected to shiploader at wharf by 36- and 48-inch. covered, electric, belt coReceiving facilities for bulk materials include a rotary car dumper, a rail car pit, a truck pit, one fixed and one portable truck dumpers. One wood chip storage area is served by one traveling and tw75-foot long, 36-inch conveyor booms. Each is served by 36-inch, overhead, belt conveyors. Two rubber tire and one crawler bulldozers reclaim wood chips from storage to ground level hoppers servingarea. Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81726 Dock Code: 411 Sacramento District Port: Sacramento, Stockton Mile: 41.2 PWD: 028 Waterway: Sacramento River Ship Channel Name: Ag West Traders, Sacramento Dock. North side, Sacramento River Deep Water Ship Channel, mile 41.2, West Location: Datum: MLLW Sacramento. Operator: Ag West Traders Ltd., LLC. Owner: Ag West Traders Ltd., LLC. Address: 3808 Auburn Blvd, Suite 52 Phone: 916-974-0270 Town: West Sacramento State: CA County: Yolo Railway Connection: None. Purpose: Shipment of wood chips. Latitude (decimal): Depth Alongside (feet): 35 38.566111 Total Berthing Space (feet): 200 Longitude (decimal): -121.5519 Remarks: Dolphins are in line with Sacramento-Yolo Port District, Berth No. 8. Logs are received by truck at a 50 acre, unpaved, open storage area leased from Sacramento-Yolo Port District by Sierra Global Enterprises, I Corps of Engnrs Waterway Code: 81726 Dock Code: 412 Sacramento District Year of Last Survey: 1996

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton Waterway: **Sacramento River Ship Channel** Mile: 41.3 PWD: 027 Name: **Unocal Corp., West Sacramento Terminal Wharf.** North side, Sacramento River Deep Water Ship Channel, mile 41.3, West Location: Datum: MLLW Sacramento. Operator: Unocal Corp., Diversified Businesses Agricultural Products Group. Owner: Unocal Corp., Diversified Businesses Agricultural Products Group. Address: 3961 Channel Drive. Phone: 916-372-5530 State: CA Town: West Sacramento County: Yolo Railway Connection: One 4-car capacity, surface track serves tank car loading rack; connects with tracks of Southern Pacific Transportation Co. Purpose: Receipt of anhydrous ammonia and dry bulk chemicals (urea); shipment of sulfuric acid and caustic soda. Depth Alongside (feet): Latitude (decimal): 35 Longitude (decimal): -121.5736 Total Berthing Space (feet): 803 Remarks: One 12-inch anhydrous ammonia pipeline extends from wharf to two storage tanks located in rear, total capacity 15,600,000 gallons; one 2-inch pipeline extends to wharf from one 25,000-gallon caustic soda storage pipeline extends to wharf from one 20,000-gallon sulfuric acid storage tank. Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81726 Dock Code: 410 Sacramento District Port: Sacramento, Stockton PWD: 006 Waterway: San Joaquin River Mile: Name: **Fulton Shipyard Pier.** South side, San Joaquin River, approximately 1,000 feet above foot of A Street Location: Datum: MLLW extended, Antioch. Operator: Fulton Shipyard, Inc. Owner: Fulton Shipyard, Inc. Address: 307 Fulton Shipyard Road. Phone: 510-757-2611 Town: Antioch State: CA County: Contra Costa Railway Connection: Two surface tracks serve shipyard; connect with Atchison, Topeka and Santa Fe Railway. Purpose: Mooring vessels for repair, outfitting, and conversion. Latitude (decimal): Depth Alongside (feet): 16 38.0175

Remarks: One 350-ton, marine railway is located approximately 100 feet below bulkhead. Marine repair plant is

Corps of Engnrs Waterway Code: 81405 Dock Code: 072

Total Berthing Space (feet):

Year of Last Survey: 1996

located in rear. □

525

Longitude (decimal): -121.8008

Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton

Waterway: San Joaquin River Mile: PWD: 009

Name: Gaylord Container Corp., California Mill Pier.

Location: South side, San Joaquin River, approximately 1.2 miles below Antioch Bridge, Datum: MLLW

Antioch. □

Operator: Not operated.

Owner: Gaylord Container Corp.

Address: 2301 Wilbur Avenue. Phone: 510-779-3241/32 Town: Antioch State: CA County: Contra Costa

Railway Connection: Plant trackage connects with Atchison, Topeka and Santa Fe Railway.

Purpose: Not used.

Depth Alongside (feet): 20 | Latitude (decimal): 38.0175

Total Berthing Space (feet): 100 | Longitude (decimal): -121.7703

Remarks: One 10-inch steam-traced pipeline extending from wharf to 2 steel fuel oil storage tanks in rear, total capacity 200,000 barrels were not in use at time of survey. One 6-inch pipeline extending from wharf

to one caustic soda storage tank was not in use at time of survey.

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81407 Dock Code: 702 Sacramento District

Port: Sacramento, Stockton

Waterway: San Joaquin River Mile: PWD: 008

Name: Gaylord Container Corp., California Mill Wharf.

Location: South side, San Joaquin River, approximately 1.4 miles below Antioch Bridge, Datum: MLLW

Antioch.

Operator: Richmond Stevedoring Co., Inc.

Owner: Gaylord Container Corp.

Address: 2301 Wilbur Avenue. Phone: 510-779-3241/32
Town: Antioch State: CA County: Contra Costa

Railway Connection: Plant trackage connects with Atchison, Topeka and Santa Fe Railway.

Purpose: Receipt of miscellaneous dry bulk commodities.

Depth Alongside (feet): 35 | | Latitude (decimal): 38.016667

Total Berthing Space (feet): 766 | Longitude (decimal): -121.7744

Remarks: Gaylord Container Corp.: One 16-inch pipeline extending from wharf to one 72,000 barrel, fuel oil

storage tank at plant in rear was not in use at time of survey. Paper mill is located in rear.

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81407 Dock Code: 702 Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton Waterway: San Joaquin River Mile: PWD: 007 Name: Georgia-Pacific Corp., Antioch Plant Wharf. South side, San Joaquin River, approximately 2 miles below Antioch Bridge, Location: Datum: MLLW Antioch. Operator: Georgia-Pacific Corp. Owner: Georgia-Pacific Corp. Address: 801 Minaker Drive. Phone: 510-757-2870x2 State: CA Town: Antioch County: Contra Costa Railway Connection: One surface track serves plant in rear; connects with Atchison, Topeka and Santa Fe Railway. Purpose: Receipt of gypsum rock by self-unloading vessel. Latitude (decimal): Depth Alongside (feet): 31 38.015833 Total Berthing Space (feet): 780 Longitude (decimal): -121.7858 Remarks: Steel frame, metal-covered, storage dome located at rear has capacity for 38,000 tons of gypsum rock. Plant in rear manufacutures gypsum board. Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81407 Dock Code: 102 Sacramento District Port: Sacramento, Stockton PWD: 010 Waterway: San Joaquin River Mile: Name: Pacific Gas and Electric Co., Contra Costa Power Plant Wharf. Location: South side, San Joaquin River, approximately 3/4 mile below Antioch Bridge, Datum: MLLW Antioch. Not operated. □ Operator: Owner: Pacific Gas and Electric Co. Address: Wilbur Avenue. Phone: 510-427-3402 State: CA Town: Antioch County: Contra Costa Plant trackage connecting with Atchison, Topeka and Santa Fe Railway was not in use at Railway Connection: time of survey. Purpose: Not used. □ Latitude (decimal): Depth Alongside (feet): 16 - 20 I 38.02 Longitude (decimal): -121.7633 Total Berthing Space (feet): 150 Remarks: Wharf was formerly used for receipt of fuel oil for plant consumption. One 12-inch, electrically-traced pipeline extending from wharf to 8 insulated steel storage tanks at power plant in rear, total capacity 2,1 in use at time of survey. Storage tanks are connected via inland pipeline to those at Delta Power Plant described under Ref. No. 1.

Year of Last Survey: 1996

Dock Code: 902

Sacramento District

Corps of Engnrs Waterway Code: 81407

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton Waterway: San Joaquin River Mile: PWD: 011 Name: Tosco Refining Co., Stockton Terminal Wharf. Left bank, San Joaquin River, approximately 0.3 mile west of eastern end of Rough Location: Datum: MLLW and Ready Island, Stoc Operator: Not operated. Owner: Tosco Refining Co., A Division of Tosco Corp. Address: 3505 Navy Drive. Phone: 209-466-6832/68 State: CA Town: Stockton County: Contra Costa Railway Connection: None. Purpose: Not used. Latitude (decimal): Depth Alongside (feet): 10 Total Berthing Space (feet): 100 Longitude (decimal): -121.3417 Remarks: Pipelines extending from wharf to 6 steel storage tanks located in rear, total capacity 76,900 barrels, had been removed at time of survey. Corps of Engnrs Waterway Code: 81442 Dock Code: 097 Year of Last Survey: 1996 Sacramento District Port: Sacramento, Stockton Waterway: Stockton Deep Water Channel Mile: PWD: 021 Name: Port of Stockton, Wharf No. 3. South side, Stockton Deep Water Channel, at entrance to Turning Basin, Stockton. Location: Datum: MLLW Viridian Fertilizer, Inc.; Calaveras Cement Co.; and Port of Stockton. □ Operator: Owner: Port of Stockton. Address: P.O. Box 2378 Phone: 209-465-1921 State: CA Town: Stockton County: San Joaquin Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves Nos. 6, 5, and 4; and 2 platform-level tracks along rear of transit shed. Purpose: Receipt and shipment of miscellaneous dry bulk material in foreign and domestic trade; receipt of dry bulk fertilizer and cement. Latitude (decimal): Depth Alongside (feet): 35 Total Berthing Space (feet): Longitude (decimal): -121.3208 Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 6, 5, and 4 providing a total of

Year of Last Survey: 1996

1,769 feet of berthing space. Two one-story storage warehouses are located in rear of transit sheds Nos. 3 and construction and divided into 6 sections. (See S.W. Ref. No. 5). □ Viridian Fertilizer, Inc. and

Corps of Engnrs Waterway Code: 81442 Dock Code: 180

Sacramento District

Calaveras Cement Co.: See Remarks under Ref. No. 22.

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton Waterway: **Stockton Deep Water Channel** Mile: PWD: 020 Name: Port of Stockton, Wharf No. 4. South side, Stockton Deep Water Channel, approximately 850 feet east of entrance Location: Datum: MLLW to Slip No. 1, Stockton Operator: Port of Stockton. Owner: Port of Stockton. Address: 2201 West Washington Street Phone: 209-946-0246 State: CA Town: Stockton County: San Joaquin Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves Nos. 6, 5, and 3; and 2 platform-level tracks along rear of transit shed.of Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of dry bulk fertilizer. Depth Alongside (feet): Latitude (decimal): 35 Longitude (decimal): -121.3219 Total Berthing Space (feet): ١ Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 6, 5, and 3 providing a total of 1,769 feet of berthing space. Bulk fertilizer is unloaded into portable hopper on wharf apron; hopper is serve belt conveyor extending to a fixed, vertical conveyor inside transit shed which connects with the reversible belt conveyor in gallery on roof. Bulk No. 4 Warehouse (S.W. Ref. No. 4) in rear has capacity for 40,000 tomaterials. An additional 62,800 square feet of concrete-surfaced, open storage area for bulk materials is located at rear of warehouse. Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 175 Sacramento District Port: Sacramento, Stockton Waterway: Mile: PWD: 019 **Stockton Deep Water Channel** Name: Port of Stockton, Wharf No. 5. South side, Stockton Deep Water Channel, approximately 420 feet east of entrance Location: Datum: MLLW to Slip No. 1, Stockton Operator: Port of Stockton.□ Owner: Port of Stockton. Address: 2201 West Washington Street Phone: 209-946-0246 Town: Stockton State: CA County: San Joaquin Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves Nos. 6, 4, and 3; and 3 platform-level tracks along rear of transit shed.of Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade. Depth Alongside (feet): Latitude (decimal): 37.949722 35 Longitude (decimal): -121.3231 Total Berthing Space (feet): Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 6, 4, and 3 providing a total of 1,769 feet of berthing space. □ Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 170 Sacramento District

Port: Sacramento, Stockton Waterway: Stockton Deep Water Channel Mile: PWD: 018 Name: Port of Stockton, Wharf No. 6. Location: South side, Stockton Deep Water Channel, east of entrance to Slip No. 1, Stockton. Datum: MLLW Port of Stockton. Operator: Owner: Port of Stockton. Address: 2201 West Washington Street Phone: 209-946-0246 Town: Stockton State: CA County: San Joaquin Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Railway Connection: Wharves NOs. 5, 4, and 3. Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade. Depth Alongside (feet): 35 Latitude (decimal): Total Berthing Space (feet): Longitude (decimal): -121.3247 Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 5, 4, and 3 providing a total of 1,769 feet of berthing space.□ Corps of Engnrs Waterway Code: 81442 Dock Code: 157 Year of Last Survey: 1996 Sacramento District Port: Sacramento, Stockton Waterway: Stockton Deep Water Channel Mile: PWD: 017 Name: Port of Stockton, Wharf No. 7. South side, Stockton Deep Water Channel, outer portion of eastern side of Slip No. Location: Datum: MLLW 1. Stockton. Operator: Port of Stockton. Owner: Port of Stockton.□ Address: 2201 West Washington Street Phone: 209-946-0246 State: CA Town: Stockton County: San Joaquin Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are a continuation of tracks on adjacent Wharf No. 8. Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade. Latitude (decimal): Depth Alongside (feet): 35 37.949167 Total Berthing Space (feet): Longitude (decimal): -121.3256 Remarks: Face of wharf is in line and contiguous with face of Wharf No. 8, providing a total of 1,000 feet of berthing space.□

Year of Last Survey: 1996

Corps of Engnrs Waterway Code: 81442 Dock Code: 157

Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton Waterway: Stockton Deep Water Channel Mile: PWD: 016 Name: Port of Stockton, Wharf No. 8. South side, Stockton Deep Water Channel, inner portion of eastern side of Slip No. Location: Datum: MLLW 1, Stockton. Operator: Brusco Tug & Barge, Inc.; California Ammonia Co. (Calamco); Cargill, Inc.; PM Ag Prod Owner: Port of Stockton. Address: 2115 West Washington Street Phone: 209-466-4391 Town: Stockton State: CA County: San Joaquin Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron continue on apron of adjacent Wharf No. 7; and 2 platform-level tracks along rear of transit shed. Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of molasses and anhydrous ammonia; mooring company-owned tugboats. Depth Alongside (feet): 35 Latitude (decimal): Longitude (decimal): -121.3247 Total Berthing Space (feet): Remarks: Face of wharf is in line and contiguous with face of Wharf No. 7), providing a total of 1,000 feet of berthing space.

PM Ag Products, Inc.: One 14/12-inch pipeline extends from wharf to 6 molasses storage tanks located at rear, total capacity 6.000,000 gallons. California Ammonia Co. (Calamco): One 14-inch pipeline extends from wharf to 2 anhydrous ammonia storage tanks located in rear, total capacity 14,000,0gallons. Cargill, Inc.: One 14/12-inch pipeline extends from wharf to 2 molasses storage tanks located at rear, total capacity 2,500,000 gallons.Port of Stockton: Four elevated, 6-inch, stainless steel lined storage tanks (under roof) formerly used for storage of wine located between Roads A and C in rear, total capacity 2,490,000 gallons.paved, open storage area is located adjacent to south end of transit shed. Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 154 Sacramento District Port: Sacramento, Stockton Mile: PWD: 015 Waterway: Stockton Deep Water Channel Name: Port of Stockton, Wharf No. 8-A. Location: South side, Stockton Deep Water Channel, head of Slip No. 1, Stockton. Datum: MLLW Brusco Tug & Barge, Inc. Operator: Owner: Port of Stockton. Address: P.O. Box 2377 Phone: 209-462-5534 State: CA Town: Stockton County: San Joaquin Railway Connection: None. Purpose: Mooring company-owned tugboats. Depth Alongside (feet): Latitude (decimal): 37.9475 16 Total Berthing Space (feet): Longitude (decimal): -121.3242 270 Remarks: -□□ Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 154 Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton Waterway: Stockton Deep Water Channel Mile: PWD: 014 Name: Port of Stockton, Wharf No. 9. South side, Stockton Deep Water Channel, approximately 1,000 feet above junction Location: Datum: MLLW with San Joaquin River, Operator: Port of Stockton. Owner: Port of Stockton. Address: 2201 West Washington Street Phone: 209-946-0246 Town: Stockton State: CA County: San Joaquin Railway Connection: Stockton Public Belt Railroad: One surface track on apron and two 510-foot, platformlevel tracks along rear of transit shed. Purpose: Receipt and shipment of conventional general cargo and miscellaneous dry bulk commodities in foreign and domestic trade. Depth Alongside (feet): 35 Latitude (decimal): Longitude (decimal): -121.3281 Total Berthing Space (feet): 645 75 Remarks: Face of wharf is in line and contiguous with face of Wharves Nos. 10 and 11 providing a total of 1,656 feet of berthing space. Three storage warehouses (Units 5 and 6, and Units 1-4) and Cotton Compress Warehous rear (See S.W. Ref. Nos. 1, 2, and 3). One 40- by 40- and one 30- by 40-foot floating boathouses are moored at outer end of slip southeast of the 75-foot wharf section. A total of approximately 175 acres of semimproarea are available at various locations throughout the Port of Stockton terminal complex. Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 137 Sacramento District Port: Sacramento, Stockton Waterway: Mile: PWD: 013 **Stockton Deep Water Channel** Name: Port of Stockton, Wharves Nos. 10 and 11. □ South side, Stockton Deep Water Channel, above junction with San Joaquin River, Location: Datum: MLLW Operator: The Learner Co.; Hydro Agri North America, Inc.; Rice Terminals; and Port of Stockton Owner: Port of Stockton.□ Address: 433 Scotts Street Phone: 209-465-8032 Town: Stockton State: CA County: San Joaquin Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron. Purpose: Receipt and shipment of conventional and containerized general cargo, and heavy lift items in foreign and domestic trade; receipt and shipment of steel products and fertilizer; shipment of scrap steel. Latitude (decimal): 37.949167 Depth Alongside (feet): 35 Longitude (decimal): -121.3308 Total Berthing Space (feet): 1,011 Remarks: Approximately 5.5 acres of open storage area are located at rear. Face of wharf is in line and contiguous with face of Wharf No. 9 providing a total of 1.656 feet of continuous berthing space. Hydro Agri North America, Inc.: One 8-inch pipeline extends from wharf to storage tanks described under Ref. No. 12. The Learner Co.: Approximately 13 acres of open storage area for scrap steelare located at Navy Drive in rear. Rice Terminals: One 8-inch pipeline extends from wharf to storage tanks described under Ref. No. 12. Corps of Engnrs Waterway Code: 81442 Dock Code: 135 Year of Last Survey: 1996 Sacramento District

Port: Sacramento, Stockton

Waterway: Stockton Deep Water Channel Mile: PWD: 012

Name: Port of Stockton, Wharves Nos. 12 and 13.

Location: South side, Stockton Deep Water Channel, above junction with San Joaquin River, Datum: MLLW

Stockton.

Operator: Metropolitan Stevedore Co.; Hydro Agri North America, Inc.; Rice Terminals; Bay Sulfu

Owner: Port of Stockton. □

Address: P.O. Box 986 Phone: 209-943-7252
Town: Stockton State: CA County: San Joaquin
Railway Connection: Stockton Public Belt Railroad: Two tracks in rear, total capacity 84-car unit trains each,

serve rotary and bottom car dumpers (one track for loaded cars and one empty return) join

260-car capacity clas

Purpose: Shipment of miscellaneous dry bulk commodities, including clay, sulphur, and petroleum coke; receipt

and shipment of liquid fertilizer.

Depth Alongside (feet): 40 | Latitude (decimal): 37.947778

Total Berthing Space (feet): 843 | Longitude (decimal): -121.3342

Remarks: Bottom care dumper has an operating rate of 400 tons or 4 cars per hour; hopper under dumper serves a 36 inch, inclined, electric, belt conveyor extending to and thence along a 36-inch conveyor belt to the shiplo conveyors extending to a portable stacker with 36-inch belt at an adjacent, 50,000-ton, open coke storage area. Coke is reclaimed via front-end loaders serving ground-level receiving pits and an underground 36-inch beconnecting with the shiploading conveyor. Bay Sulfur Co.: Sulphur is received by truck at a receiving hopper which serves a radial stacker with 24-inch belt and adjacent 40,000-ton capacity, open stobulldozers serving ground-level hoppers and a 36-inch, underground belt conveyor

connecting with a shiploading conveyor. Metropolitan Stevedore Co.: Rotary car dumper has an operating rate of 30 cahopper under dumper serves four 84-inch, electric, feeder belt conveyors which

serve 60- and 54-inch, electric belt conveyors extendin

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 120 Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton Waterway: Stockton Turning Basin Mile: PWD: 023 Name: Continental Grain Corp., Stockton Elevator Wharf. South side, Stockton Deep Water Channel, south side of Turning Basin, Stockton. Location: Datum: MLLW Operator: Continental Grain Corp. Owner: Continental Grain Corp. Address: 1805 Harbor Road. Phone: 209-466-5446 State: CA Town: Stockton County: San Joaquin Railway Connection: Two surface tracks extend along rear of storage silos and through car shed serving car dumper and carloading spout, total capacity 52 cars; connect with tracks of Southern Pacific Transportation Co. Purpose: Shipment and occasional receipt of bulk grains by vessel. Latitude (decimal): Depth Alongside (feet): 37 37.949167 Total Berthing Space (feet): 564 Longitude (decimal): -121.3153 Τ ١ Remarks: Grain elevator and 3 flat storage warehouses located at rear have total capacity for 6,838,000 bushels. Grain gallery connecting towers on wharf has a 36-inch, electric belt conveyor, and the gallery extending f to the grain elevator has two 30-inch, belt conveyors. Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 190 Sacramento District Port: Sacramento, Stockton PWD: 022 Waterway: Stockton Turning Basin Mile: Name: Port of Stockton, Wharf No. 2. Location: South side, Stockton Deep Water Channel, southwest side of Turning Basin, Datum: MLLW Stockton. Viridian Fertilizer, Inc.; Calaveras Cement Co.; and Port of Stockton. □ Operator: Owner: Port of Stockton. Address: P.O. Box 2378 Phone: 209-465-1921 State: CA Town: Stockton County: San Joaquin Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves Nos. 6, 5, 4 and 3. Purpose: Receipt and shipment of miscellaneous dry bulk material in foreign and domestic trade; receipt of dry bulk fertilizer and cement. Depth Alongside (feet): 35 Latitude (decimal): 37.949444 Longitude (decimal): -121.3189 Total Berthing Space (feet): 585 Remarks: Calaveras Cement Co.: Two conical, top-loading buildings are served by a covered, radial arm conveyor system, total capacity 34,000 tons of dry bulk cement. Viridian Fertilizer, Inc.: Five conical, top-loading buildings are served by a covered, radial arm conveyor system, total capacity 41,000 tons. □Port of Stockton: A total of approximately 175 acres of semi-improvedstorage are available at various locations throughout the Stockton Port District complex. Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 185 Sacramento District

The Ports of Sacramento, Stockton, Pittsburg, and Antioch, CA

Port: Sacramento, Stockton

Waterway: Suisun Bay

Mile: PWD: 001

Name: Pacific Gas and Electric Co., Delta Power Plant Wharf.

Location: South side, Suisun Bay, below entrance to New York Slough, Pittsburg. Datum: MLLW

Operator: Pacific Gas and Electric Co.
Owner: Pacific Gas and Electric Co.

Address: 696 West Tenth Street. Phone: 510-427-3402
Town: Pittsburg State: CA County: Contra Costa
Railway Connection: One surface track serves plant in rear; connects with Sacramento Northern Railway.□

Purpose: Occasional receipt of fuel oil by tanker; occasional shipment of fuel oil by barge.

Depth Alongside (feet): 35 | 23 | Latitude (decimal): 38.041389

Total Berthing Space (feet): 1,070 | 154 | Longitude (decimal): -121.8867

Remarks: Barge Dock is located parallel to and 55 feet in rear of tanker berth. Angular timber catwalks extend

from lower end of Barge Dock and from upper end of offshore wharf, each to 2 steel pipe pile, concrete-capped which are located 45, 80, 120, and 80 feet in rear of line of berthing, lower to upper end, respectively.

One 20-inch, steam-traced pipeline extends from Tanker Dock to 16 steel storagetanks located in rear, total capacity 5,404,450 barrels; one 12-inch, steam traced pipeline extends from storage tanks to the Barge Dock. Inland pipelines extend from the storage tanks to power plantsthe Contra Costa Power Plant at Antioch (see Ref. No. 10). One 3-inch steam and one 4-inch storm drainage lines serve wharf. Barges berth on shore side of Barge Dock and at Tanker Dock.

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81401 Dock Code: 127 Sacramento District

Port: Sacramento, Stockton

Waterway: Upper Stockton Channel Mile: PWD: 024

Name: Colberg Edison Wharf.

Location: North side, Upper Stockton Channel, foot of North Edison Street, Stockton. Datum: MLLW

Operator: Not operated.
Owner: Colberg, Inc.

Address: North Stockton and Lindsay Streets Phone: 209-466-7041
Town: Stockton State: CA County: San Joaquin

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951389

Total Berthing Space (feet): 130 | Longitude (decimal): -121.3

Remarks: An additional 500 feet of berthing space is available at 3 timber breasting dolphins located between

lower side of wharf and upper side of Upper Outfitting Wharf.

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 801 Sacramento District

Port: Sacramento, Stockton

Waterway: Upper Stockton Channel Mile: PWD: 026

Name: Colberg Lower Outfitting Wharf.

Location: North side, Upper Stockton Channel, between foot of North Stockton and North Datum: MLLW

Yosemite Streets, Stockton.

Operator: Not operated.
Owner: Colberg, Inc.

Address: North Stockton and Lindsay Streets Phone: 209-466-7041
Town: Stockton State: CA County: San Joaquin

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951944

Total Berthing Space (feet): 70 | Longitude (decimal): -121.3033

Remarks: Machine shop building is located at rear of wharf. \Box

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 801 Sacramento District

Port: Sacramento, Stockton

Waterway: Upper Stockton Channel Mile: PWD: 025

Name: Colberg Upper Outfitting Wharf.

Location: North side, Upper Stockton Channel, foot of North Stockton Street, Stockton. Datum: MLLW

Operator: Not operated.
Owner: Colberg, Inc.

Address: North Stockton and Lindsay Streets Phone: 209-466-7041
Town: Stockton State: CA County: San Joaquin

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951667

Total Berthing Space (feet): 125 | Longitude (decimal): -121.3028

Remarks: A canopy roof extends along the landward side of wharf deck sheltering welding units and other

equipment. One 400-and one 200-ton, marine railways are located between lower side of wharf and upper side of Lower line of timber mooring piles between railways is used for mooring and as a guide

pier.

Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Dock Code: 801 Sacramento District